

BUILT TO LAST!
LEADERS IN FRAME STRENGTH

LUNAR

GLAMPING



Stargazer Glamping Domes
Specification Manual 2026

ELEMENTS STARGAZER DOMES

5 meter	01
6 meter	02
7 meter	03
8 meter	04
Element Componets	05

CUSTOMIZABLE STARGAZER DOMES

5 meter	07
6 meter	08
7 meter	09
8 meter	10
9 meter	11
10 meter	12
12 meter	13
15 meter	14

Embark on a journey of refined outdoor living with Luna's Stargazer Dome collection, created for those who desire a seamless harmony of wilderness and luxury.

Our customizable Stargazer Domes allow you to curate your luxury additions to reflect your individual style, while our pre-configured dome packages arrive with all the components required to construct your dome





Elements Stargazer Dome Collection

Our collection of pre-configured dome packages with all the essential components required to construct your dome.



5M Luna Elements Stargazer Dome

Personal space with room for comfort.

Luna's 5m Stargazer Elements dome, offering 19 sqm (211 sq ft), is ideal for a single bedroom glamping space, a small office, or just some spare room. The space can be customized with a kitchenette or bathroom, and a murphy bed can be added for efficient use of space.

Pre-designed unit available:

- Exterior PVC cover (3 colour options)
- 4-layer insulation (3 colour options)
- Curtains (2 colour options)
- Wood composite (WPC) entry door (3 colour options)
- 2 round operable glass windows with screen
- Solar Fan
- Moisture Barrier
- Stove Jack (3 size options)



3 colours of Steel Framework available



4 Layers Interior Insulation




Interior Curtains available in 2 colours




Replaceable Panoramic PVC Window

STRUCTURE DIMENSIONS 3V Design



5m / 16' 5"
Floor area 19.6sqm / 211 sqft

PVC CLEAR VIEW PANORAMIC STRUCTURE WINDOW



4.3m / 14'

The Stargazer Elements Dome Collection
Our collection of pre-configured dome packages with all the essential components required to construct your dome and secure your building envelope from the natural elements. The Stargazer Elements are available in 5, 6, 7, and 8 meter models. All models offer multiple colour options for frame, exterior colour, entrance door, and interior curtains. Stargazer Elements models offer a simple solution for comfortable off-grid living or working space.

SPECIFICATIONS

Diameter	5m (16' 5")
Center Height	2.9m (9'6")
Floor Area	19.6 sqm (211sqft)
Structure Weight	400kg (882lb)
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

MATERIALS

Frame Piping Thickness	32mm x 2mm
Framework	Q235 painted steel framework with structural supports at connection to secure the frame to various mounting surfaces.
Exterior Cover	850 g/m ² double-coated opaque PVC; waterproof, UV resistant, flame retardant BI.
Panoramic Window	PVC standard 950gsm.
Exterior colours	3 standard colours. Custom exterior colours available on request.
Operable Circle Glass Windows (2)	with screen
Entrance	WPC (wood composite) door with keyed lock.
Curtains	Available in 2 colours
Solar Fan	
Stove Jack	6, 8, or 10 inch
Insulation	4 layer canvas fabric covering a multi-layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.
Flooring	Moisturer barrier.



Leaders in frame strength and durability.



6M Luna Elements Stargazer Dome

Cozy comfort for a couple of nature lovers.

The 6m Stargazer Element is a pre-configured option with all the essentials to create a comfortable one-bedroom glamping retreat or office space. Offering 28 sq m (305 sq ft), it's ideal for a couple's weekend stay or a small studio, with customization options for a kitchenette and bathroom. A murphy bed can be added for optimal space use

Pre-designed unit available:

- Exterior PVC cover (3 colour options)
- 4-layer insulation (3 colour options)
- Curtains (2 colour options)
- Wood composite (WPC) entry door (3 colour options)
- 2 round operable glass windows with screen
- Solar Fan
- Moisture Barrier
- Stove Jack (3 size options)



3 colours of Steel Framework available



4 Layers Interior Insulation




Interior Curtains available in 2 colours




Replaceable Panoramic PVC Window

STRUCTURE DIMENSIONS 3V Design



6m / 19' 8"
Floor area 28.3sqm / 305 sqft

PVC CLEAR VIEW PANORAMIC STRUCTURE WINDOW



4.4m / 14' 6"

The Stargazer Elements Dome Collection
Our collection of pre-configured dome packages with all the essential components required to construct your dome and secure your building envelope from the natural elements. The Stargazer Elements are available in 5, 6, 7, and 8 meter models. All models offer multiple colour options for frame, exterior colour, entrance door, and interior curtains. Stargazer Elements models offer a simple solution for comfortable off-grid living or working space.

SPECIFICATIONS

Diameter	6m (19' 8")
Center Height	3.5m (11'5")
Floor Area	28.3 sqm (305sqft)
Structure Weight	400kg (882lb)
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

MATERIALS

Frame Piping Thickness	32mm x 2mm
Framework	Q235 painted steel framework with structural supports at connection to secure the frame to various mounting surfaces.
Exterior Cover	850 g/m ² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.
Panoramic Window	PVC standard 950gsm.
Exterior colours	3 standard colours. Custom exterior colours available on request.
Operable Circle Glass Windows (2)	with screen
Entrance	WPC (wood composite) door with keyed lock.
Curtains	Available in 2 colours
Solar Fan	
Stove Jack	6, 8, or 10 inch
Insulation	4 layer canvas fabric covering a multi-layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.
Flooring	Moisturer barrier.



Leaders in frame strength and durability.



7M Luna Elements Stargazer Dome

Naturally ideal glamp site for couples.

The Elements Collection 7m Dome is pre-configured with essential components to secure the building envelope, ensuring your structure is protected from the elements. Ideal for a studio or a glamping couple who prefer extra space, the 7m Stargazer offers 38 sq m (415 sq ft), providing room for furniture, a seating area, and a small bathroom or kitchenette.

Pre-designed unit available:


- Exterior PVC cover (3 colour options)
- 4-layer insulation (3 colour options)
- Curtains (2 colour options)
- Wood composite (WPC) entry door (3 colour options)
- 2 round operable glass windows with screen
- Solar Fan
- Moisture Barrier
- Stove Jack (3 size options)



3 colours of Steel Framework available



4 Layers Interior Insulation




Interior Curtains available in 2 colours




Replacable Panoramic PVC Window

STRUCTURE DIMENSIONS 3V Design



7m / 23'
Floor area 38.5sqm / 414 sqft

PVC CLEAR VIEW PANORAMIC STRUCTURE WINDOW



5.17m / 16' 11"

The Stargazer Elements Dome Collection
Our collection of pre-configured dome packages with all the essential components required to construct your dome and secure your building envelope from the natural elements. The Stargazer Elements are available in 5, 6, 7, and 8 meter models. All models offer multiple colour options for frame, exterior colour, entrance door, and interior curtains. Stargazer Elements models offer a simple solution for comfortable off-grid living or working space.

SPECIFICATIONS

Diameter	7m (23')
Center Height	4m (13'3")
Floor Area	38.5 sqm (414sqft)
Structure Weight	550kg (1213lb)
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

MATERIALS

Frame Piping Thickness	32mm x 2mm
Framework	Q235 painted steel framework with structural supports at connection to secure the frame to various mounting surfaces. 
Exterior Cover	850 g/m ² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.
Panoramic Window	PVC standard 950gsm.
Exterior colours	3 standard colours. Custom exterior colours available on request. 
Operable Circle Glass Windows (2)	with screen
Entrance	WPC (wood composite) door with keyed lock. 
Curtains	Available in 2 colours 
Solar Fan	
Stove Jack	6, 8, or 10 inch 
Insulation	4 layer canvas fabric covering a multi-layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant. 
Flooring	Moisturer barrier.



Leaders in frame strength and durability.



8M Luna Elements Stargazer Dome

Midsized space for a midsized family.

The 8m Stargazer dome offers ample space for a one-bedroom glamping retreat or office. The pre-configured 8m Stargazer Element includes all the core components to secure the structure with a weather-sealed building envelope. With 50 sq m (540 sq ft), it provides a spacious and comfortable setting for a couple, easily accommodating two beds for guests, along with room for a full-size kitchen and bathroom.

Pre-designed unit available:

- Exterior PVC cover (3 colour options)
- 4-layer insulation (3 colour options)
- Curtains (2 colour options)
- Wood composite (WPC) entry door (3 colour options)
- 2 round operable glass windows with screen
- Solar Fan
- Moisture Barrier
- Stove Jack (3 size options)



3 colours of Steel Framework available



4 Layers Interior Insulation




Interior Curtains available in 2 colours




Replaceable Panoramic PVC Window

STRUCTURE DIMENSIONS 3V Design



8m / 26' 3"
Floor area 50.2 sqm / 540 sqft

PVC CLEAR VIEW PANORAMIC STRUCTURE WINDOW



5.17m / 16' 11"

The Stargazer Elements Dome Collection
Our collection of pre-configured dome packages with all the essential components required to construct your dome and secure your building envelope from the natural elements. The Stargazer Elements are available in 5, 6, 7, and 8 meter models. All models offer multiple colour options for frame, exterior colour, entrance door, and interior curtains. Stargazer Elements models offer a simple solution for comfortable off-grid living or working space.

SPECIFICATIONS

Diameter	8m (26' 3")
Center Height	4.7m (15'5")
Floor Area	50.2 sqm (540sqft)
Structure Weight	60kg (1323lb)
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

MATERIALS

Frame Piping Thickness	32mm x 2mm
Framework	Q235 painted steel framework with structural supports at connection to secure the frame to various mounting surfaces.
Exterior Cover	850 g/m ² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.
Panoramic Window	PVC standard 950gsm.
Exterior colours	3 standard colours. Custom exterior colours available on request.
Operable Circle Glass Windows (2)	with screen
Entrance	WPC (wood composite) door with keyed lock.
Curtains	Available in 2 colours
Solar Fan	
Stove Jack	6, 8, or 10 inch
Insulation	4 layer canvas fabric covering a multi-layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.
Flooring	Moisturer barrier.



RUGGED



COZY



DURABLE



SAFE



ENGINEERED


LUNA
GLAMPING

www.lunaglamping.com 4


Leaders in frame strength and durability.

Elements Components Dimensions


5M SKYLIGHT DIMENSIONS




6M SKYLIGHT DIMENSIONS




7M SKYLIGHT DIMENSIONS




8M SKYLIGHT DIMENSIONS



SINGLE DOOR FRAME Inside




CIRCLE GLASS WINDOW (Operable with screen)



SOLAR FAN 565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com



Stargazer Custom Dome Collection

Our collection of customizable Geodesic Domes includes eight sizes with many options, upgrades and add-ons.



5M Luna Stargazer Dome

Personal space with room for comfort

The 5m Luna Stargazer dome, offering 19.6 sqm (211 sqft), is ideal for a single bedroom glamping space, a spare room, or a small office. It can be customized with a kitchenette or bathroom, and a murphy bed can be added for efficient use of space.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.

Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.



Leaders in frame strength and durability.



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours




Paroramic Window with replaceable PVC

STRUCTURE DIMENSIONS


3V Design

OVERHEAD DIMENSIONS

Floor Area 19.6sqm / 211sqft



5m / 16' 5"



5m / 16' 5"

SPECIFICATIONS

Diameter	5m (16' 5")
Center Height	2.9m (9' 6")
Floor Area	19.6 sqm (211 sqft)
Structure Weight	400kg (882 lb)
Structure Design	3v
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door. Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch

Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind

Operable Circle Glass Window with screen



RUGGED



COZY



DURABLE



SAFE



ENGINEERED

LUNA
GLAMPING


www.lunaglamping.com

5M Stargazer Available Add-on's


**SINGLE DOOR
FRAME
Inside**




**TEMPERED GLASS PANORAMIC
STRUCTURE WINDOWS
With Cover On**




**SKYLIGHT
DIMENSIONS**




**CIRCLE GLASS
WINDOW
(Operable with screen)**



**SOLAR FAN
565mm / 22.25"**



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com



6M Luna Stargazer Dome

Cozy comfort for a couple of nature lovers.

The 6m Stargazer, offering 28 sqm (305 sqft), is perfect for cozy couples glamping, a small studio, or an office. It can be customized with a kitchenette and bathroom, and a Murphy Bed can be added for optimal space efficiency.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.

Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.



SPECIFICATIONS

Diameter	6m (19'8")
Center Height	3.5m (11'6")
Floor Area	28sqm (305 sqft)
Structure Weight	500kg (1102 lb)
Structure Design	3v
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness	32mm x 2mm
Framework	Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.   
Exterior Cover	850 g/m ² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.   

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.   

Entrance Choose from a WPC (wood composite) door,    or Aluminum-framed glass door   Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours  

Solar Fan 

Stove Jack 6, 8, or 10 inch  

Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind   

Operable Circle Glass Window with screen

Leaders in frame strength and durability.



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours





Paroramic Window with replaceable PVC

STRUCTURE DIMENSIONS

3V Design

OVERHEAD DIMENSIONS

Floor Area 28.3sqm / 305sqft




LUNA
GLAMPING


www.lunaglamping.com 8

6M Stargazer Available Add-on's


SINGLE DOOR FRAME
Inside




TEMPERED GLASS PANORAMIC STRUCTURE WINDOWS
With Cover On




SKYLIGHT DIMENSIONS




CIRCLE GLASS WINDOW
(Operable with screen)
445mm / 17.5"



SOLAR FAN
565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com



7M Luna Stargazer Dome

Beautiful and spacious room with a view.

The 7m Stargazer offers 38 sqm (415 sqft) of space, perfect for couples who want extra room for glamping or a cozy workspace. It comfortably fits furniture, a seating area, and can accommodate a small bathroom or kitchenette.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.

Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.



SPECIFICATIONS

Diameter	7m (22'6")
Center Height	4m (13'3")
Floor Area	38sqm (415 sqft)
Structure Weight	550kg (1213 lb)
Structure Design	3v
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door. Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch


Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind


Operable Circle Glass Window with screen



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours




Panoramic Window with replaceable PVC


Leaders in frame strength and durability.

STRUCTURE DIMENSIONS
3V Design

OVERHEAD DIMENSIONS
Floor Area 38.5sqm / 414sqft



7m / 23'



7m / 23'




LUNA
GLAMPING


www.lunaglamping.com 9

7M Stargazer Available Add-on's


SINGLE DOOR FRAME
Inside




TEMPERED GLASS PANORAMIC STRUCTURE WINDOWS
With Cover On




SKYLIGHT DIMENSIONS




CIRCLE GLASS WINDOW
(Operable with screen)



SOLAR FAN
565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com



www.lunaglamping.com



8M Luna Stargazer Dome

Midsized space for a midsized fun.

The 8m Stargazer offers 50.2 sqm (540 sqft) of space, This midsize dome is ideal for small family glamping, a workspace or small yoga studio. The 8m Stargazer gives a roomy and rich feeling for a couple and can easily fit two beds for additional guests. There's also ample space for a full size kitchen and bathroom.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.

Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.



SPECIFICATIONS

Diameter	8m (26' 3")
Center Height	4.7m (15' 5")
Floor Area	50.2sqm (540 sqft)
Structure Weight	600kg (1323 lb)
Structure Design	3v
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door. Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch

Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind

Operable Circle Glass Window with screen



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours



Paroramic Window with replaceable PVC



Leaders in frame strength and durability.

STRUCTURE DIMENSIONS

3V Design

OVERHEAD DIMENSIONS

Floor Area 50.2sqm




8M Stargazer Available Add-on's


SINGLE DOOR FRAME
Inside




TEMPERED GLASS PANORAMIC STRUCTURE WINDOWS
With Cover On




DOUBLE DOOR FRAME
Inside




SKYLIGHT DIMENSIONS




CIRCLE GLASS WINDOW
(Operable with screen)
445mm / 17.5"



SOLAR FAN
565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com



9M Luna Stargazer Dome

Ideal family or entrepreneur space.

The 9m Stargazer offers 63.3 sqm (685 sqft) of space, perfect for families who want extra room for glamping or entrepreneur workspace. It comfortably fits furniture, a seating area, or it can be customized with a kitchenette, bathroom or a modest yoga studio.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.



Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.

SPECIFICATIONS

Diameter	9m (29' 6")
Center Height	4.5m (14' 9")
Floor Area	63.6sqm (685 sqft)
Structure Weight	800kg (1764 lb)
Structure Design	4v
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch


Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind

Operable Circle Glass Window with screen



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours




Paroramic Window with replaceable PVC

STRUCTURE DIMENSIONS


4V Design

OVERHEAD DIMENSIONS

Floor Area 63.6sqm / 685sqft



9m / 29' 6"



9m / 29' 6"

4.5m / 14' 9"



LUNA
GLAMPING


www.lunaglamping.com 11

9M Stargazer Available Add-on's


SINGLE DOOR FRAME
Inside




TEMPERED GLASS PANORAMIC STRUCTURE WINDOWS
With Cover On




DOUBLE DOOR FRAME
Inside




SKYLIGHT DIMENSIONS




CIRCLE GLASS WINDOW
(Operable with screen)
445mm / 17.5"



SOLAR FAN
565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com



10M Luna Stargazer Dome

A larger space for off-grid living

The 10m Stargazer offers 78.5 sqm (845 sqft) of space. That makes it well suited for an off grid home or many large entrepreneurial purposes. There is ample room for your family to live year round, or to host small events.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.


Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.



Leaders in frame strength and durability.



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers




Interior Curtains available in 2 colours




Paroramic Window with replaceable PVC

STRUCTURE DIMENSIONS Kiewitt Design

OVERHEAD DIMENSIONS Floor Area 78.5sqm/845sqft



10m / 32' 10"



10m / 32' 10"

SPECIFICATIONS

Diameter	10m (32' 10")
Center Height	5m (16' 5")
Floor Area	78.5sqm (845 sqft)
Structure Weight	800kg (1764 lb)
Structure Design	Kiewitt
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door. Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch

Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind

Operable Circle Glass Window with screen




10M Stargazer Available Add-on's


**SINGLE DOOR
FRAME
Inside**



**TEMPERED GLASS PANORAMIC
STRUCTURE WINDOWS
With Cover On**




**DOUBLE DOOR
FRAME
Inside**




**SKYLIGHT
DIMENSIONS**

2599mm / 102"



**CIRCLE GLASS
WINDOW
(Operable with screen)**

445mm / 17.5"



SOLAR FAN


565mm / 22.25"



490mm
19.3"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com



12M Luna Stargazer Dome

An extra large space with endless uses.

The 12m Stargazer offers 144 sqm (1550 sqft) of space. Perfect for event hosting, collaborative work space or a spectacular yoga studio. With this amount of space, there's also ample room for guests, bathrooms, additional rooms and seating as required.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.

The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.

Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.

Leaders in frame strength and durability.



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours




Paroramic Window with replaceable PVC

STRUCTURE DIMENSIONS


Kiewitt Design

OVERHEAD DIMENSIONS

Floor Area 144sqm / 1550sqft



12m / 39' 5"



12m / 39' 5"

SPECIFICATIONS

Diameter	12m (39' 5")
Center Height	6m (19' 8")
Floor Area	144sqm (1550 sqft)
Structure Weight	1800kg (3968 lb)
Structure Design	Kiewitt
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door. Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch

Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind

Operable Circle Glass Window with screen



RUGGED



COZY



DURABLE



SAFE




ENGINEERED

LUNA
GLAMPING


www.lunaglamping.com 13

12M Stargazer Available Add-on's


SINGLE DOOR FRAME
Inside




TEMPERED GLASS PANORAMIC STRUCTURE WINDOWS
With Cover On




DOUBLE DOOR FRAME
Inside




SKYLIGHT DIMENSIONS




CIRCLE GLASS WINDOW
(Operable with screen)



SOLAR FAN
565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com



15M Luna Stargazer Dome

Extra large space with room for big ideas.

The 15m Stargazer offers 177 sqm (1905 sqft) of space. It's perfect for large event hosting, a collaborative work space or a spectacular yoga studio. With this amount of space, there's ample room for guests, bathrooms, or multi-level family living, and much more.

The units arrive fully crated and are easy to assemble with the help of a detailed installation manual. You may also request a free consultation with an expert to discuss your configuration and plan your fully customized Luna Stargazer dome.


The great flexibility of a Luna Stargazer dome is further enhanced with the variety of material upgrades and creature-comfort add-ons available.

Need to increase your wind and snow loads or change the color of your powder-coated framework? We're here to help <https://lunaglamping.com/contact/>.


Leaders in frame strength and durability.



3 colours of Steel Framework available



Interior Insulation available 1 or 4 Layers



Interior Curtains available in 2 colours




Paroramic Window with replaceable PVC

STRUCTURE DIMENSIONS


Kiewitt Design

OVERHEAD DIMENSIONS

Floor Area 177sqm / 1905sqft



15m / 49' 3"



15m / 49' 3"

SPECIFICATIONS

Diameter	15m (49' 3")
Center Height	6.6m (21' 10")
Floor Area	177sqm (1905 sqft)
Structure Weight	2500kg (5512 lb)
Structure Design	Kiewitt
Wind Load	up to 200 mph
Roof Snow Load	up to 120 psf

STANDARD MATERIALS

Standard Piping Thickness 32mm x 2mm

Framework Galvanized or Q235 painted steel framework with structural supports at every connection to secure the frame to various mounting surfaces.

Exterior Cover 850 g/m² double-coated opaque PVC; waterproof, UV resistant, flame retardant B1.

Panoramic Window PVC standard 950gsm.

Exterior colours 3 standard colours. Custom exterior colours available on request.

CUSTOM ADD-ONS see dimensions page

Insulation 1 and 4 layer canvas fabric covering a multi layered bubble foil insulation. Radiation heat reflection coefficient 85%, waterproof, fire retardant.

Entrance Choose from a WPC (wood composite) door, or Aluminum-framed glass door. Available in clear or frosted glass. A double door is available in aluminum frame glass version on domes 8m and up. Standard and keyless locks, magnetic screen available.

Exterior Cover Upgrade 1100g/m² PVDF cover with an additional layer of UV protection for exposed high UV areas and providing extra strength in high wind / snow areas.

Panoramic Window Upgrade Double pane tempered glass - Two 5mm panes of glass with a pvb laminate in between.

Flooring Moisturer barrier and Pinewood available.

Frame Piping Upgrade 42mm x 2.5mm

Curtains Available in 2 colours

Solar Fan

Stove Jack 6, 8, or 10 inch

Rooftop Skylight Double pane tempered glass.

Skylight Motorized Blind

Operable Circle Glass Window with screen



LUNA
GLAMPING


www.lunaglamping.com 14

15M Stargazer Available Add-on's


SINGLE DOOR FRAME
Inside




TEMPERED GLASS PANORAMIC STRUCTURE WINDOWS
With Cover On




DOUBLE DOOR FRAME
Inside



SKYLIGHT DIMENSIONS




CIRCLE GLASS WINDOW
(Operable with screen)



SOLAR FAN
565mm / 22.25"



STOVE JACK



ADDITIONAL INFORMATION: Placement of windows, doors, stove jack and other add-ons will be specified once quote is received and confirmed. All measurements rounded to nearest cm/in. Want to customize your Stargazer even more?

Go to LunaGlamping.com

LUNA
GLAMPING

www.lunaglamping.com